



**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
1/8	6	0.405	10.3	10	-	10S	0.049	1.24	0.31
				STD	40	40S	0.068	1.73	0.41
				XS	80	80S	0.095	2.41	0.53
1/4	8	0.540	13.7	10	-	10S	0.065	1.65	0.55
				STD	40	40S	0.088	2.24	0.71
				XS	80	80S	0.119	3.02	0.89
3/8	10	0.675	17.1	10	-	10S	0.065	1.65	0.71
				STD	40	40S	0.091	2.31	0.94
				XS	80	80S	0.126	3.20	1.23
1/2	15	0.840	21.3	5	-	5S	0.065	1.65	0.90
				10	-	10S	0.083	2.11	1.12
				STD	40	40S	0.109	2.77	1.42
				XS	80	80S	0.147	3.73	1.81
				160	-	-	0.188	4.78	2.18
				XX	-	-	0.294	7.47	2.86
3/4	20	1.050	26.7	5	-	5S	0.065	1.65	1.14
				10	-	10S	0.083	2.11	1.43
				STD	40	40S	0.133	2.87	1.89
				XS	80	80S	0.154	3.91	2.46
				160	-	-	0.219	5.56	3.25
				XX	-	-	0.308	7.82	4.08
1	25	1.315	33.4	5	-	5S	0.065	1.65	1.45
				10	-	10S	0.109	2.77	2.35
				STD	40	40S	0.133	3.38	2.81
				XS	80	80S	0.179	4.55	3.63
				160	-	-	0.250	6.35	4.75
				XX	-	-	0.358	9.09	6.11



AVAILABLE 24/7,  
365 DAYS A YEAR!





**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
1 1/4	32	1.660	42.2	5	-	5S	0.065	1.65	1.85
				10	-	10S	0.109	2.77	3.02
				STD	40	40S	0.140	3.56	3.80
				XS	80	80S	0.191	4.85	5.01
				160	-	-	0.250	6.35	6.30
				XX	-	-	0.382	9.70	8.72
1 1/2	40	1.900	48.3	5	-	5S	0.650	1.65	2.13
				10	-	10S	0.109	2.77	3.49
				STD	40	40S	0.145	3.68	4.54
				XS	80	80S	0.200	5.08	6.07
				160	-	-	0.281	7.14	8.13
				XX	-	-	0.400	10.15	10.71
2	50	2.375	60.3	5	-	5S	0.065	1.65	2.68
				10	-	10S	0.109	2.77	4.41
				STD	40	40S	0.154	3.91	6.10
				XS	80	80S	0.218	5.54	8.39
				160	-	-	0.344	8.74	12.46
				XX	-	-	0.436	11.07	15.07
2 1/2	65	2.875	73.0	5	-	5S	0.083	2.11	4.14
				10	-	10S	0.120	3.05	5.90
				STD	40	40S	0.203	5.16	9.68
				XS	80	80S	0.276	7.01	12.79
				160	-	-	0.375	9.53	16.73
				XX	-	-	0.525	14.02	22.87



AVAILABLE 24/7,  
365 DAYS A YEAR!





**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



AVAILABLE 24/7,  
365 DAYS A YEAR!



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
3	80	3.500	88.9	5	-	5S	0.083	2.11	5.06
				10	-	10S	0.120	3.05	7.24
				STD	40	40S	0.216	5.49	12.66
				XS	80	80S	0.300	7.62	17.13
				160	-	-	0.438	11.13	23.94
				XX	-	-	0.600	15.24	31.05
3 1/2	90	4.000	101.6	5	-	5S	0.083	2.11	5.81
				10	-	10S	0.120	3.05	8.31
				STD	40	40S	0.226	5.74	15.22
				XS	80	80S	0.318	8.08	20.90
				XX	-	-	0.636	16.15	38.17
				5	-	5S	0.083	2.11	6.55
4	100	4.500	114.3	10	-	10S	0.120	3.05	9.38
				-	-	-	0.156	3.96	12.08
				-	-	-	0.188	4.78	14.48
				STD	40	40S	0.237	6.02	18.03
				XS	80	80S	0.337	8.56	25.03
				120	-	-	0.438	11.13	31.76
				160	-	-	0.531	13.49	37.61
				XX	-	-	0.674	17.12	46.01
				STD	40	40S	0.247	6.27	20.94
				XS	80	80S	0.355	9.02	29.43
4 1/2	115	5.000	127.0	XX	-	-	0.710	18.03	54.34



**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
5	125	5.563	141.3	5	-	5S	0.109	2.77	10.61
				10	-	10S	0.134	3.40	12.97
				STD	-	40S	0.258	6.55	24.41
				XS	40	80S	0.375	9.53	34.73
				120	80	-	0.500	12.70	45.17
				160	-	-	0.625	15.88	55.08
				XX	-	-	0.750	19.05	64.41
6	150	6.625	168.3	5	-	5S	0.109	2.77	12.68
				10	-	10S	0.134	3.40	15.51
				-	-	-	0.188	4.78	21.62
				STD	40	40S	0.280	7.11	31.70
				XS	80	80S	0.432	10.97	47.73
				120	-	-	0.562	14.27	60.79
				160	-	-	0.719	18.26	75.77
7	175	7.625	193.7	STD	40	40S	0.301	7.65	39.36
				XS	80	80S	0.500	12.70	63.58
				XX	-	-	0.875	22.23	105.42
8	200	8.625	219.1	-	-	5S	0.109	2.77	16.57
				10	-	10S	0.148	3.76	22.39
				20	-	-	0.250	6.35	37.36
				30	-	-	0.277	7.04	41.29
				STD	40	40S	0.322	8.18	47.72
				60	-	-	0.406	10.31	59.54
				XS	80	80S	0.500	12.70	72.50
				100	-	-	0.594	15.09	85.14
				120	-	-	0.719	18.26	101.43
				140	-	-	0.812	20.62	113.19
				XX	-	-	0.875	22.23	121.04
160	-	-	0.906	23.01	124.79				



AVAILABLE 24/7,  
365 DAYS A YEAR!







**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
9	225	9.625	224.5	STD	40	40S	0.342	8.69	56.67
				XS	80	80S	0.500	12.70	81.42
				XX	-	-	0.875	22.23	136.66
10	250	10.750	273.0	-	-	5S	0.134	3.40	25.35
				-	-	10S	0.165	4.19	31.15
				-	-	-	0.188	4.78	35.46
				20	-	-	0.250	6.35	46.83
				30	-	-	0.307	7.80	57.21
				STD	40	40S	0.365	9.27	67.62
				XS	60	80S	0.500	12.70	91.43
				80	-	-	0.594	15.09	107.64
				100	-	-	0.719	18.26	128.65
				120	-	-	0.844	21.44	149.17
				140	XX	-	1.000	25.40	173.94
11	275	11.750	298.5	160	-	-	1.125	28.53	192.90
				STD	40	40S	0.375	9.53	76.16
				XS	80	80S	0.500	12.70	100.39
12	300	12.750	323.8	XX	-	-	0.875	22.23	169.86
				-	-	5S	0.156	3.96	35.03
				-	-	10S	0.180	4.57	40.35
				-	-	-	0.188	4.78	42.17
				20	-	-	0.250	6.35	55.75
				30	-	-	0.330	8.38	73.10
				STD	-	40S	0.375	9.53	82.83
				40	-	-	0.406	10.31	89.39
				XS	-	80S	0.500	12.70	109.27
				60	-	-	0.562	14.27	122.16
				80	-	-	0.688	17.48	148.09
100	-	-	0.844	21.44	179.29				
120	XX	-	1.000	25.40	209.62				
140	-	-	1.125	28.58	233.35				
160	-	-	1.312	33.32	267.69				



AVAILABLE 24/7,  
365 DAYS A YEAR!





**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



AVAILABLE 24/7,  
365 DAYS A YEAR!



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
14	350	14.000	355.6	-	-	10S	0.189	4.78	46.38
				10	-	-	0.250	6.35	61.34
				20	-	-	0.312	7.92	76.16
				STD	30	40S	0.375	9.53	91.21
				40	-	-	0.438	11.13	106.04
				XS	-	80S	0.500	12.70	120.44
				60	-	-	0.594	15.09	142.11
				80	-	-	0.750	19.05	177.32
				100	-	-	0.938	23.83	218.66
				120	-	-	1.094	27.79	251.95
16	400	16.000	406.4	-	-	10S	0.188	4.78	53.09
				10	-	-	0.250	6.35	70.26
				20	-	40S	0.312	7.92	87.28
				STD	30	80S	0.375	9.53	104.60
				XS	40	-	0.500	12.70	138.29
				60	-	-	0.656	16.66	179.58
				80	-	-	0.844	21.44	228.27
				100	-	-	1.031	26.19	275.40
				120	-	-	1.219	30.96	321.48
				140	-	-	1.438	36.53	373.69
160	-	-	1.594	40.49	409.76				



**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



AVAILABLE 24/7,  
365 DAYS A YEAR!



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
18	450	18.000	457	-	-	10S	0.188	4.78	59.78
				10	-	-	0.250	6.35	79.14
				20	-	-	0.312	7.92	98.37
				STD	-	40S	0.375	9.53	117.94
				30	-	-	0.438	11.13	137.25
				XS	-	80S	0.500	12.70	156.06
				40	-	-	0.562	14.27	174.73
				60	-	-	0.750	19.05	230.74
				80	-	-	0.938	23.83	285.49
				100	-	-	1.156	29.36	347.25
20	500	20.000	508	-	-	10S	0.218	5.54	76.99
				10	20	-	0.250	6.35	88.10
				STD	30	40S	0.375	9.53	131.38
				XS	-	80S	0.500	12.70	173.97
				40	-	-	0.594	15.09	205.71
				60	-	-	0.812	20.62	277.95
				80	-	-	1.031	26.19	348.99
				100	-	-	1.281	32.54	427.90
				120	-	-	1.500	38.10	495.15
				140	-	-	1.750	44.45	569.87
160	-	-	1.969	50.01	633.46				



**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



AVAILABLE 24/7,  
365 DAYS A YEAR!



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT				
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER				
22	550	22.000	559	-	-	10S	0.218	5.54	84.80				
				-	10	-	0.250	6.35	97.06				
				STD	20	40S	0.375	9.53	144.83				
				XS	30	80S	0.500	12.70	191.89				
				60	-	-	0.875	22.23	330.02				
				80	-	-	1.125	28.58	419.27				
				100	-	-	1.375	34.93	506.29				
				120	-	-	1.625	41.28	591.07				
				140	-	-	1.875	47.63	673.63				
24	600	24.000	610	160	-	-	2.125	53.98	753.96				
				10	-	10S	0.250	6.35	106.01				
				STD	20	40S	0.375	9.53	158.27				
				XS	-	80S	0.500	12.70	209.80				
				30	-	-	0.562	14.27	235.12				
				40	-	-	0.688	17.48	286.45				
				60	-	-	0.969	24.61	398.44				
				80	-	-	1.219	30.96	495.81				
				100	-	-	1.531	38.89	614.28				
26	650	26.000	660	120	-	-	1.812	46.02	717.82				
				140	-	-	2.062	52.37	807.67				
				160	-	-	2.344	59.54	906.45				
				-	10	-	0.312	7.92	142.83				
				STD	-	40S	0.375	9.53	171.45				
				XS	-	80S	0.500	12.70	227.36				
				28	700	28.000	711	-	10	-	0.312	7.92	154.01
								STD	-	40S	0.375	9.53	184.89
								XS	20	80S	0.500	12.70	245.27
-	30	-	0.625	15.88	305.29								





**AESTEIRON STEELS LLP**

GOVERNMENT RECOGNISED EXPORT HOUSE

AN ISO 9001 - 2015 COMPANY

## BRONZE PIPE WEIGHT CHART

Aesteiron Steels LLP is the supreme distributor of industrial piping isolation solutions. Our exceptional designing and absolute accuracy are some of the leading features that our pipe owns. We can even provide pipes in all shapes, sizes and specifications provided by the customers. 24/7 - 365 days we have been providing excellent products and unparalleled services to our clients.

### Call for more info.

+91-22-677 6700 - 6799 - 6777

[www.aesteiron.com](http://www.aesteiron.com) / [info@aesteiron.com](mailto:info@aesteiron.com)

Follow us on



SIZE		OUTER DIAMETER		SCHEDULE DESIGNATIONS			WALL THICKNESS		WEIGHT
INCH	MM	INCH	MM	ASTM / ASME			INCH	MM	KG PER METER
30	750	30.000	762	-	10	-	0.312	7.92	165.18
				STD	-	40S	0.375	9.53	198.33
				XS	20	80S	0.500	12.70	263.19
				-	30	-	0.625	15.88	327.69
32	800	32.000	813	-	10	-	0.312	7.92	176.35
				STD	-	-	0.375	9.53	211.77
				XS	20	-	0.500	12.70	281.10
				-	30	-	0.625	15.88	350.09
34	850	34.000	864	-	40	-	0.688	17.48	384.59
				-	10	-	0.312	7.92	187.52
				STD	-	-	0.375	9.53	225.21
				XS	20	-	0.500	12.70	299.02
36	900	36.000	914	-	30	-	0.625	15.88	372.49
				-	40	-	0.688	17.48	409.25
				-	10	-	0.312	7.92	198.47
				STD	-	-	0.375	9.53	238.39
42	1050	42.000	1067	XS	-	-	0.500	12.70	316.58
				STD	-	-	0.375	9.53	278.72
				-	-	-	0.625	15.88	461.65
				-	-	-	0.750	19.05	552.13
48	1200	48.000	1219	STD	-	-	0.375	9.53	318.78
				XS	-	-	0.500	12.70	423.71



AVAILABLE 24/7,  
365 DAYS A YEAR!

